ELSEVIER

Analytica Chimica Acta 458 (2002) 427–430

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Ala-Kleme, T., see Kulmala, S. 271
Andrews, A.R.J., see de Jager, L. 311
Atanasova, V.
—, Fulcrand, H., Cheynier, V. and Moutounet, M.
Effect of oxygenation on polyphenol changes occurring in the course of wine-making 15
Avramescu, A.
—, Noguer, T., Avramescu, M. and Marty, J.-L.
Screen-printed biosensors for the control of wine quality based on lactate and acetaldehyde determination 203
Avramescu, M., see Avramescu, A. 203
Azenha, M.
— and Vasconcelos, M.T.
Headspace solid-phase micro-extraction gas chromatography–mass detection method for the determination of butyltin compounds in wines 231

Bala, C., see Rotariu, L. 215
Barbante, C., see Krachler, M. 387
Barnett, N.W.
—, Lewis, S.W., Purcell, S.D. and Jones, P.
Determination of sodium oxalate in Bayer liquor using flow-analysis incorporating an anion exchange column and tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence detection 291
Barroso, C.G., see Benítez, P. 197
Barroso, C.G., see Domínguez, C. 95
Barroso, C.G., see Palma, M. 119
Baumes, R.
—, Wirth, J., Bureau, S., Gunata, Y. and Razungles, A.
Biogeneration of C_{13}-norisoprenoid compounds: experiments supportive for an apo-carotenoid pathway in grapevines 3
Belchior, A.P., see Caldeira, I. 55
Beltrán, S., see Ortega-Heras, M. 85
Benedetti, D., see Brescia, M.A. 177
Benítez, P.
—, Castro, R. and Barroso, C.G.
Removal of iron, copper and manganese from white wines through ion exchange techniques: effects on their organoleptic characteristics and susceptibility to browning 197
Birkmyre, L., see Escalona, H. 45
Bo, T.
—, Li, K.A. and Liu, H.
Fast determination of flavonoids in *Glycyrrhizae radix* by capillary zone electrophoresis 345
Bosch, E., see Canals, I. 355
Brescia, M.A.
—, Caldarola, V., De Giglio, A., Benedetti, D., Fanizzi, F.P. and Sacco, A.
Characterization of the geographical origin of Italian red wines based on traditional and nuclear magnetic resonance spectrometric determinations 177
Brock, J.W., see Yoshimura, Y. 331
Bruno de Sousa, R., see Caldeira, I. 55
Bureau, S., see Baumes, R. 3

Cabezudo, M.D., see Castro Vázquez, L. 39
Caldarola, V., see Brescia, M.A. 177
Caldeira, I.
—, Belchior, A.P., Clímaco, M.C. and Bruno de Sousa, R.
Aroma profile of Portuguese brandies aged in chestnut and oak woods 55
Cameira dos Santos, P.
—, Gonçalves, F. and De Pinho, M.N.
Optimisation of the method for determination of the temperature of saturation in wines 257
Canals, I.
—, Bosch, E. and Rosés, M.
Prediction of the separation of phenols by capillary zone electrophoresis 355
Cantagrel, R., see Lablanquie, O. 191
Cao, X., see Zhang, W. 337
Cao, Z.-X., see Hu, S.-Q. 297
Castro Vázquez, L.
—, Pérez-Coello, M.S. and Cabezudo, M.D.
Effects of enzyme treatment and skin extraction on varietal volatiles in Spanish wines made from Chardonnay, Muscat, Airén, and Macabeo grapes 39
Castro, R., see Benítez, P. 197
Cescon, P., see Krachler, M. 387
Cheynier, V., see Atanasova, V. 15
Christoph, N., see Hoenicke, K. 29
Clímaco, M.C., see Caldeira, I. 55
Correia, P.R.M.
—, Oliveira, E. and Oliveira, P.V.
Minimalism approach for determination of Cu, Fe and Zn in serum by simultaneous electrothermal atomic absorption spectrometry 321
Cozzi, G., see Krachler, M. 387

De Giglio, A., see Brescia, M.A. 177

PII: S0003-2670(02)00187-3

de Jager, L.
— and Andrews, A.R.J.
Development of a screening method for cocaine and cocaine metabolites in saliva using hollow fiber membrane solvent microextraction 311
De Pinho, M.N., see Cameira dos Santos, P. 257
Deffieux, G., see Vitrac, X. 103
Díaz-Plaza, E.M.
—, Reyero, J.R., Pardo, F. and Salinas, M.R.
Comparison of wine aromas with different tannic content aged in French oak barrels 139
Domínguez, C.
—, Guillén, D.A. and Barroso, C.G.
Determination of volatile phenols in fino sherry wines 95
Ducauze, C.J.
— and Rutledge, D.N.
In Vino Analytica Scientia 2001 1

Efremenko, E.N., see Simonian, A.L. 425
Emons, H., see Krachler, M. 387
Escalona, H.
—, Birkmyre, L., Piggott, J.R. and Paterson, A.
Effect of maturation in small oak casks on the volatility of red wine aroma compounds 45
Eskola, J., see Kulmala, S. 271
Evangelou, A., see Yao, D. 281
Evmiridis, N.P., see Yao, D. 281

Fanizzi, F.P., see Brescia, M.A. 177
Ferrari, G., see Lablanquie, O. 191
Frank, D., see Sauvage, L. 223
Fulcrand, H., see Atanasova, V. 15

Gao, H.-W.
— and Xu, W.-Q.
Langmuir aggregation of Evans blue on cetyltrimethylammonium bromide and on proteins and its application 417
Gastine, V., see Monje, M.-C. 111
Geßner, M., see Hoenicke, K. 29
Giokas, D.L., see Paleologos, E.K. 241
Gonçalves, F., see Cameira dos Santos, P. 257
González-San José, M.L., see Pérez-Magariño, S. 187
González-San José, M.L., see Rivero-Pérez, M.D. 169
González-SanJosé, M.L., see Ortega-Heras, M. 85
Guedes de Pinho, P., see Moreira, N. 157
Guillén, D.A., see Domínguez, C. 95
Gunata, Y., see Baumes, R. 3

Håkansson, M., see Kulmala, S. 271
Hirano, Y., see Kasai, S. 263
Hoenicke, K.
—, Simat, T.J., Steinhart, H., Christoph, N., Geßner, M. and Köhler, H.-J.
'Untypical aging off-flavor' in wine: formation of 2-aminoacetophenone and evaluation of its influencing factors 29
Hogg, T., see Moreira, N. 157

Hu, S.-Q.
—, Wu, Z.-Y., Zhou, Y.-M., Cao, Z.-X., Shen, G.-L. and Yu, R.-Q.
Capacitive immunosensor for transferrin based on an *o*-aminobenzenthiol oligomer layer 297

Jin, L., see Zhang, W. 337
Jinghao, P., see Shaomin, S. 305
Jones, P., see Barnett, N.W. 291

Kankare, J., see Kulmala, S. 271
Karayannis, M.I., see Paleologos, E.K. 241
Karkabounas, S., see Yao, D. 281
Kasai, S.
—, Hirano, Y., Motochi, N., Shiku, H., Nishizawa, M. and Matsue, T.
Simultaneous detection of uric acid and glucose on a dual-enzyme chip using scanning electrochemical microscopy/scanning chemiluminescence microscopy 263
Kidrič, J., see Košir, I.J. 77
Köhler, H.-J., see Hoenicke, K. 29
Košir, I.J.
— and Kidrič, J.
Use of modern nuclear magnetic resonance spectroscopy in wine analysis: determination of minor compounds 77
Krachler, M.
—, Emons, H., Barbante, C., Cozzi, G., Cescon, P. and Shotyk, W.
Inter-method comparison for the determination of antimony and arsenic in peat samples 387
Kulmala, S.
—, Håkansson, M., Spehar, A.-M., Nyman, A., Kankare, J., Loikas, K., Ala-Kleme, T. and Eskola, J.
Heterogeneous and homogeneous electrochemiluminoimmunoassays of hTSH at disposable oxide-covered aluminum electrodes 271

Lablanquie, O.
—, Snakkers, G., Cantagrel, R. and Ferrari, G.
Characterisation of young Cognac spirit aromatic quality 191
Lewis, S.W., see Barnett, N.W. 291
Li, K.A., see Bo, T. 345
Liu, H., see Bo, T. 345
Llauradó, M., see Mellado, J. 367
Loikas, K., see Kulmala, S. 271

Magearu, V., see Rotariu, L. 215
Makino, T., see Yoshimura, Y. 331
Marty, J.-L., see Avramescu, A. 203
Massart, D.L., see Vander Heyden, Y. 397
Matsue, T., see Kasai, S. 263
Mellado, J.
—, Llauradó, M. and Rauret, G.
Determination of actinides and strontium in fish samples by extraction chromatography 367
Mendes, F., see Moreira, N. 157
Mérillon, J.-M., see Vitrac, X. 103

Mikkelsen, Ø.
— and Schrøder, K.H.
Voltammetry using a dental amalgam electrode for heavy metal monitoring of wines and spirits 249
Millikan, M.B., see Sauvage, L. 223
Monje, M.-C.
—, Privat, C., Gastine, V. and Nepveu, F.
Determination of ethylphenol compounds in wine by headspace solid-phase microextraction in conjunction with gas chromatography and flame ionization detection 111
Monti, J.-P., see Vitrac, X. 103
Moreira, N.
—, Mendes, F., Pereira, O., Guedes de Pinho, P., Hogg, T. and Vasconcelos, I.
Volatile sulphur compounds in wines related to yeast metabolism and nitrogen composition of grape musts 157
Moreno-Arribas, M.V.
—, Pueyo, E. and Polo, M.C.
Analytical methods for the characterization of proteins and peptides in wines 63
Motochi, N., see Kasai, S. 263
Moutounet, M., see Atanasova, V. 15

Nakazawa, H., see Yoshimura, Y. 331
Nepveu, F., see Monje, M.-C. 111
Nishizawa, M., see Kasai, S. 263
Noguer, T., see Avramescu, A. 203
Nyman, A., see Kulmala, S. 271

Oliveira, E., see Correia, P.R.M. 321
Oliveira, P.V., see Correia, P.R.M. 321
Ortega-Heras, M.
—, González-SanJosé, M.L. and Beltrán, S.
Aroma composition of wine studied by different extraction methods 85
Ortega-Heras, M., see Pérez-Magariño, S. 187

Paleologos, E.K.
—, Giokas, D.L., Tzouwara-Karayanni, S.M. and Karayannis, M.I.
Micelle mediated methodology for the determination of free and bound iron in wines by flame atomic absorption spectrometry 241
Palma, M.
— and Barroso, C.G.
Ultrasound-assisted extraction and determination of tartaric and malic acids from grapes and winemaking by-products 119
Pardo, F., see Díaz-Plaza, E.M. 139
Paterson, A., see Escalona, H. 45
Pereira, O., see Moreira, N. 157
Pérez-Coello, M.S., see Castro Vázquez, L. 39
Pérez-Magariño, S.
—, Ortega-Heras, M. and González-San José, M.L.
Multivariate classification of rosé wines from different Spanish protected designations of origin 187
Pérez-Magariño, S., see Rivero-Pérez, M.D. 169
Piggott, J.R., see Escalona, H. 45
Pin, C., see Yang, X.J. 375
Polo, M.C., see Moreno-Arribas, M.V. 63
Pravdova, V., see Vander Heyden, Y. 397
Privat, C., see Monje, M.-C. 111
Pueyo, E., see Moreno-Arribas, M.V. 63
Purcell, S.D., see Barnett, N.W. 291

Questier, F., see Vander Heyden, Y. 397

Rangel, A.O.S.S., see Segundo, M.A. 131
Rauret, G., see Mellado, J. 367
Razungles, A., see Baumes, R. 3
Reyero, J.R., see Díaz-Plaza, E.M. 139
Rivas-Gonzalo, J.C., see Vivar-Quintana, A.M. 147
Rivero-Pérez, M.D.
—, Pérez-Magariño, S. and González-San José, M.L.
Role of melanoidins in sweet wines 169
Rosés, M., see Canals, I. 355
Rotariu, L.
—, Bala, C. and Magearu, V.
Yeast cells sucrose biosensor based on a potentiometric oxygen electrode 215
Rutledge, D.N., see Ducauze, C.J. 1

Sacco, A., see Brescia, M.A. 177
Salinas, M.R., see Díaz-Plaza, E.M. 139
Santos-Buelga, C., see Vivar-Quintana, A.M. 147
Sauvage, L.
—, Frank, D., Stearne, J. and Millikan, M.B.
Trace metal studies of selected white wines: an alternative approach 223
Schrøder, K.H., see Mikkelsen, 249
Scott, A., see Vander Heyden, Y. 397
Segundo, M.A.
— and Rangel, A.O.S.S.
Sequential injection flow system with improved sample throughput: determination of glycerol and ethanol in wines 131
Shaomin, S.
—, Yu, Y. and Jinghao, P.
Study on molecular recognition of *para*-aminobenzoic acid species by α-, β- and hydroxypropyl-β-cyclodextrin 305
Shen, G.-L., see Hu, S.-Q. 297
Shiku, H., see Kasai, S. 263
Shotyk, W., see Krachler, M. 387
Simat, T.J., see Hoenicke, K. 29
Simonian, A.L.
—, Efremenko, E.N. and Wild, J.R.
Erratum to "Discriminative detection of neurotoxins in multi-component samples" [Analytica Chimica Acta 444 (2001) 179–186] 425
Snakkers, G., see Lablanquie, O. 191
Spehar, A.-M., see Kulmala, S. 271
Stearne, J., see Sauvage, L. 223
Steinhart, H., see Hoenicke, K. 29

Tallieu, L., see Vander Heyden, Y. 397
Tsampalas, S., see Yao, D. 281

Tzouwara-Karayanni, S.M., see Paleologos, E.K. 241

Vander Heyden, Y.
—, Pravdova, V., Questier, F., Tallieu, L., Scott, A. and Massart, D.L.
Parallel co-ordinate geometry and principal component analysis for the interpretation of large multi-response experimental designs 397
Vasconcelos, I., see Moreira, N. 157
Vasconcelos, M.T., see Azenha, M. 231
Vercauteren, J., see Vitrac, X. 103
Vitrac, X.
—, Monti, J.-P., Vercauteren, J., Deffieux, G. and Mérillon, J.-M.
Direct liquid chromatographic analysis of resveratrol derivatives and flavanonols in wines with absorbance and fluorescence detection 103
Vivar-Quintana, A.M.
—, Santos-Buelga, C. and Rivas-Gonzalo, J.C.
Anthocyanin-derived pigments and colour of red wines 147
Vlessidis, A.G., see Yao, D. 281

Wild, J.R., see Simonian, A.L. 425
Wirth, J., see Baumes, R. 3
Wu, Z.-Y., see Hu, S.-Q. 297

Xian, Y., see Zhang, W. 337
Xu, Q., see Zhang, W. 337
Xu, W.-Q., see Gao, H.-W. 417

Yang, X.J.
— and Pin, C.
Determination of niobium, tantalum, zirconium and hafnium in geological materials by extraction chromatography and inductively coupled plasma mass spectrometry 375
Yao, D.
—, Vlessidis, A.G., Evmiridis, N.P., Evangelou, A., Karkabounas, S. and Tsampalas, S.
Luminol chemiluminescense reaction: a new method for monitoring nitric oxide in vivo 281
Yoshimura, Y.
—, Brock, J.W., Makino, T. and Nakazawa, H.
Measurement of bisphenol A in human serum by gas chromatography/mass spectrometry 331
Yu, R.-Q., see Hu, S.-Q. 297
Yu, Y., see Shaomin, S. 305

Zhang, S., see Zhang, W. 337
Zhang, W.
—, Cao, X., Xian, Y., Xu, Q., Zhang, S. and Jin, L.
New microdialysis-electrochemical device for simultaneous determination of ascorbic acid and 5-hydroxyindole-3-acetic acid in rat striatum 337
Zhou, Y.-M., see Hu, S.-Q. 297